

50 Hz

60 Hz

Résumé de la gamme
Resume of the range
Zusammenfassung der Produktreihen
Resumen de la gama
Riassunto della gamma
Таблица быстрого выбора



Compresseurs hermétiques et groupes de condensation

Hermetic compressors and condensing units

Vollhermetische Verdichter und Verflüssigungssätze

Compresores herméticos y grupos de condensación

Compressori ermetici e unità condensatrici

Герметичные компрессоры и агрегаты



TOGETHER WE WILL GO FURTHER



R-600a

R-134a

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-600a

Compresseurs | Compressors | Kompressoren
Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindree (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique [Watts] Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-35°C - 50 Hz	-23,3°C - 50 Hz	-35°C - 60 Hz	-23,3°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
THB1330M	5,2	33	78					*				
THB1335M	6,1	42	96					*				

R-134a

Compresseurs | Compressors | Kompressoren
Compresores | Compressori | Компрессоры

THB1324Y	2,7	23	58					*	*	*		
THB1335Y	3,58	36	85	147	341	*		*	*	*		
THB1340Y	4,2	44	104	181	423	*		*	*	*		
THB1350Y	5,6	52	121	212	488	*		*	*	*		
THB1360Y	6,1	68	147	276	593	*		*	*	*		
AEZ1365Y	8,9	71	185	290	746	*		*	*			
AEZ1370Y	8,1	82	177	334	716	*		*	*	*		
AEZ1380Y	9,4	94	223	384	903	*		*	*			
AEZ2380Y	9,4	94	223	384	903	*		*		*		
AE1410Y	12	92	259	373	1047	*	*	*	*	*		
CAE2410Y	12	92	259	373	1047	*		*	*	*		
AE1412Y	14,1	96	306	393	1236	*	*	*	*	*		
CAE2412Y	14,1	96	306	393	1236	*		*	*	*		
CAE2414Y	16	124	360	508	1456	*		*				

Groupes | Units | Verflüssigungssätze
Unidades | Unità | Агрегаты

THB1335YB		45	95					*				
THB1350YB		72	137					*				
THB1360YB		81	149					*				
AEZ1365YB		102	203	409	811	*		*	*			
AEZ1380YB		113	217					*				
AEZ2380YBR		116	248	464	992	*		*		*		
AE1410YB		128	299					*	*			
CAE2410YBR		128	299	515	1199	*		*	*	*		
AE1412YB		169	339	679	1356	*		*	*	*		
CAE2412YBR		169	339	679	1356	*		*		*		



R-12

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm ³) Displacement Hubraume Cilindradas Cilindrate Объем цилиндра	Production frigorifique [Watts] Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-35°C - 50 Hz	-23,3°C - 50 Hz	-35°C - 60 Hz	-23,3°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AZ1320A	2,2	21	50					*	*			
AZ1320D	2,2	21	50	86	198	*		*	*			
AZ1328A	2,9	30	68					*	*			
AZ1328D	2,9	30	68	125	273	*	*	*	*			
AZ1335A	3,6	43	90	177	363			*	*	*		
AZ1335D	3,6	43	90	177	363	*		*	*			
AZ1340A	4	51	103	208	419			*	*	*		
AZ1340D	4	51	103	208	419	*		*	*	*		
AZ1355D	5,6	67	136	274	549	*		*		*		
AEZ1360A	7,5	67	154	272	621	*		*	*	*		
AEZ1380A	8,8	84	193	342	779	*	*	*	*	*		
AEZ2380C	8,1	98	205	402	825	*		*	*	*		
AEZ1410D	9,4	121	251	493	1013	*		*	*			
AEZ2410D	9,4	121	251	493	1013	*		*	*			
AE1410A	12	105	250	431	1009	*		*	*	*		
CAE2410A	12	105	250	431	1009	*		*	*	*		
AE1412A	14,1	141	311	578	1255	*		*	*	*		
CAE2412A	14,1	141	311	578	1255	*	*	*				

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

AEZ1360AB		85	163					*				
AEZ1380AB		108	198	433	791	*		*	*	*		
AEZ2380CBR		121	224	484	897	*		*	*			
AEZ1410DB		153	276	614	1101	*		*	*			
AEZ2410DBR		153	276	614	1101	*		*	*			
AE1410AB		144	267	576	1071	*		*	*	*		
CAE2410ABR		144	267	576	1071	*		*	*	*		
AE1412AB		189	344	757	1378	*		*				
CAE2412ABR		189	344	757	1378	*	*	*				



R-404A
R-507 | R-407B

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-404A*

Compresseurs | Compressors | Kompressoren
Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-35°C - 50 Hz	-23,3°C - 50 Hz	-35°C - 60 Hz	-23,3°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AEZ2370Z	4	79	172			*		*				
AEZ2390Z	5	110	221	450	893	*		*				
AEZ2411Z	7,6	144	321	849	1295	*		*	*	*		
AEZ2415Z	8,1	160	355	955	1459	*		*	*	*		
AE1417Z	11,3	161	460	655	2570	*		*	*	*		
CAE2417Z	11,3	161	460	655	2570	*		*	*	*		
AE1420Z	12,5	232	547					*				
CAE2420Z	12,5	232	547	1077	2267	*		*	*	*		
CAE2424Z	15	291	664	1210	2636	*		*	*	*		
CAJ/TAJ2428Z	15,2	248	628	1026	2544	*		*	*	*		*
CAJ2432Z	18,3	318	792	1296	3199	*		*	*	*		
CAJ2440Z	21	375	874					*				
CAJ/TAJ2446Z	26,1	549	1194	2251	4832	*		*	*	*		*
CAJ/TAJ2464Z	34,4	723	1605	2950	6482	*		*	*	*		*
TFH/FH2480Z	53,2	738	2183	3004	8480			*	*	*	*	*
TFH/FH2511Z	74,2	1380	3135	5527	12426			*	*	*	*	*
TFHD2516Z	106,4	1475	4367	6008	16964							*
TFHD2522Z	148,5	2760	6270	11058	24852							*
TAG2516Z	112,5	1743	4356	6963	17633						*	*
TAG2522Z	134,8	2378	5522	9813	21987						*	*
TAGD2532Z	225	3486	8712	13926	35256						*	*
TAGD2544Z	269,6	4756	11044	19628	43975						*	*

* R-507, R-407B



R-404A*

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

Modèles Models Modelle Modelos Modelli Модель	Cylindre (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-35°C - 50 Hz	-23,3°C - 50 Hz	-35°C - 60 Hz	-23,3°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AEZ2411ZBR		176	315	600	1074	*		*	*	*		
AEZ2415ZBR		204	358	818	1432	*		*	*	*		
AE1417ZB		238	436	955	1746	*		*	*	*		
CAE2417ZBR		238	436	955	1746	*		*	*	*		
CAE2420ZBR		294	533	1180	2132	*		*	*	*		
CAE2424ZBR		404	684	1620	2741	*		*	*	*		
CAJ/TAJ2428ZBR		372	671	1490	2684	*		*	*	*		*
CAJ2432ZBR		449	796	1800	3180	*		*	*	*		
CAJ2440ZBR		535	910					*				
CAJ/TJ2446ZBR		547	1047	2193	4191	*		*	*	*		*
CAJ/TAJ2464ZBR		771	1491	3093	5964	*		*	*	*		*
FH/TFH2480ZBR		1233	2223	4945	8947			*	*	*	*	*
FH/TFH2511ZBR		1520	2892	6097	11565			*		*	*	*
TFHD2516ZBR		2468	4513	9896	18033							*
TFHD2522ZBR		2997	5742	12017	23019							*
TAG2516ZBR		2354	4317	9439	17275						*	*
TAG2522ZBR		3020	5368	12109	21481						*	*
TAGD2532ZBR		4383	8363	17795	33954							*
TAGD2544ZBR		5750	10277	23345	41725							*

* R-507, R-407B

R-12

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

CAJ2T12	26,1	253	611	1102	2592	*		*	*	*		
CAH/TAH2445A	53,2	442	1245	1856	5013			*		*		*
CAH/TAH2466A	74,2	667	1617	2765	6510			*		*		*

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

TAH2445AB/BR		630	1241	2527	4965			*				*
TAH2466AB/BR		938	1679	3761	6721			*				*



R-134a

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-134a

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindree (cm³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-15°C - 50 Hz	+7,2°C - 50 Hz	-15°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
THB3410Y	2,72	74	237	300	951	*		*				
THB4410Y	2,72	74	237	300	951	*		*		*		
THB3413Y	3,58	104	315	423	1262			*		*		
THB4413Y	3,58	104	315	423	1262	*		*		*		
THB3415Y	4,23	123	363	501	1453	*		*		*		
THB4415Y	4,23	123	363	501	1453	*		*		*		
THB3419Y	5,2	149	439	604	1760	*		*		*		
THB4419Y	5,2	149	439	604	1760	*		*		*		
THB3422Y	6,1	194	533	788	2135	*	*	*	*	*		
THB4422Y	6,1	194	533	788	2135	*	*	*	*	*		
AEZ3425Y	7,6	185	635	757	2537	*	*	*	*	*		
AEZ4425Y	7,6	185	635	757	2537	*	*	*	*	*		
AEZ3430Y	8,8	245	777	996	3113	*		*	*	*		
AEZ4430Y	8,8	245	777	996	3113	*	*	*	*	*		
AE3440Y	12	310	1026	1262	4112	*	*	*	*	*		
CAE4440Y	12	310	1026	1262	4112	*	*	*	*	*		
CAE4448Y	14,2	403	1242	1637	4979	*	*	*	*	*		
CAE4456Y	16,2	458	1396	1862	5592	*	*	*	*	*		
CAJ/TAJ4452Y	15,2	370	1358	1504	5442	*		*	*	*		*
CAJ/TAJ4461Y	18,3	475	1569	1927	6288	*	*	*	*	*		*
CAJ4476Y	21,7	536	1926	2179	7717	*	*	*	*	*		
CAJ/TAJ4492Y	25,9	584	2295	2373	9200	*	*	*	*	*		*
CAJ/TAJ4511Y	32,7	878	3026	3569	12129		*	*	*	*		*
FH/TFH4518Y	53,2	1036	4583	4208	18370			*	*	*	*	*
FH/TFH4525Y	74,2	1667	6053	6772	24259			*	*	*	*	*
TAG4528Y	90,2	1368	6766	5456	27106						*	*
TAG4534Y	100,7	1946	8071	7901	32347						*	*
TAG4537Y	112,5	2281	9123	9262	36562						*	*
TAG4543Y	124,4	2400	9812	9744	39321						*	*
TAGD4556Y	180,4	2735	13533	10909	54212						*	*
TAGD4568Y	201,4	3892	16143	15802	65541						*	*
TAGD4574Y	225	4562	18246	18527	73127						*	*
TAGD4586Y	248,8	4800	19624	19488	79673						*	*



R-134a

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

Modèles Models Modelle Modelos Modelli Модель	Cylindre (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-15°C - 50 Hz	-7,2°C - 50 Hz	-15°C - 60 Hz	-7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
THB4410YH		98	259	398	1052	*		*		*		
THB4413YH		131	317	532	1287	*		*		*		
THB4415YH		153	392	621	1592	*		*		*		
THB4419YH		186	450	755	1827	*		*		*		
THB4422YH		221	524	897	2127	*	*	*		*		
AEZ3425YH		243	628	975	2503	*	*	*	*	*		
AEZ4425YHR		243	628	975	2503	*	*	*	*	*		
AEZ3430YH		311	778	1248	3107	*		*	*	*		
AEZ4430YHR		311	778	1248	3107	*	*	*	*	*		
AE3440YH		410	969	1644	3864	*	*	*	*			
CAE4440YHR		410	969	1644	3864	*	*	*	*	*		
AE3440YHH		433	1081	1734	4307	*	*	*	*	*		
CAE4440YHHR		433	1081	1734	4307	*		*	*			
CAE4448YHR		486	1186	1951	4726	*	*	*	*	*		
CAE4456YHR		538	1319	2157	5262	*	*	*	*	*		
CAJ4452YHR		558	1334	2234	5316	*		*	*	*		
CAJ/TAJ4461YHR		620	1469	2482	5869	*	*	*	*	*		*
CAJ4476YHR		750	1867	3008	7439	*	*	*	*	*		
CAJ/TAJ4492YHR		925	2229	3707	8951	*	*	*	*	*		*
CAJ/TAJ4511YHR		1216	2687	4859	10694		*	*	*	*		*
FH/TFH4518YHR		1791	4488	7188	17776			*	*	*	*	*
FH/TFH4525YHR		2128	5424	8539	21517			*	*	*	*	*
TAG4528YHR		2302	6687	9210	26610							*
TAG4534YHR		2818	7859	11280	31304						*	*
TAGS4534YHR		2803	7835	11239	31181							*
TAG4537YHR		3258	8690	13013	34557						*	*
TAGS4537YHR		3248	8668	12978	34465							*
TAG4543YHR		3493	9601	13967	38185						*	*
TAGS4543YHR		3493	9601	13967	38186							*
TAGD4556YHR		4821	13617	19573	55285							*
TAGD4568YHR		5261	14438	21360	58618							*
TAGD4574YHR		6070	16224	24644	65869							*
TAGD4586YHR		5753	17185	22139	69771							*



R-404A
R-507 | R-407B

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-404A*

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm³) Displacement Hubraum Cilindradas Cilindrata Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-15°C - 50 Hz	+7,2°C - 50 Hz	-15°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AEZ4425Z	4,5	198	587	805	2355	*		*	*	*		
AEZ3430Z	5,7	258	741					*				
AEZ4430Z	5,7	258	741	1049	2971	*		*	*	*		
AEZ3440Z	7,6	357	1004	1454	4024			*	*	*		
AEZ4440Z	7,6	357	1004	1454	4024	*		*	*	*		
AEZ9440Z	7,6	357	1004	1454	4024	*		*		*		
AE3450Z	9,4	434	1270	1763	5094	*		*	*	*		
CAE4450Z	9,4	434	1270	1763	5094	*		*	*	*		
CAE9450Z	9,4	434	1270	1763	5094	*		*	*	*		
CAE9460Z	11,3	546	1545	2221	6193	*		*	*	*		
CAE9470Z	13,3	669	1878	2719	7527	*		*	*	*		
CAJ/TAJ9480Z	15,2	774	2172	3146	8709	*		*	*	*		*
CAJ/TAJ9510Z	18,3	970	2650	3945	10624	*		*	*	*		*
CAJ/TAJ9513Z	24,2	1114	3406	4529	13656	*		*	*	*		*
CAJ/TAJ4517Z	25,9	1364	3860	5545	15474			*	*	*	*	*
CAJ/TAJ4519Z	34,4	1769	5030	7190	20168			*	*	*		*
FH/TFH4522Z	39,9	1718	5036	6975	20446			*			*	*
FH/TFH4524Z	43,5	1964	5682	7974	23069			*	*	*	*	*
FH/TFH4531Z	56,6	2449	7266	9943	29500			*	*	*	*	*
FH/TFH4540Z	74,2	3445	9013	13987	36593			*	*	*	*	*
TAG4546Z	90,2	3370	10859	13682	44088						*	*
TAG4553Z	100,7	3868	12151	15704	49333						*	*
TAG4561Z	112,5	4560	13438	18514	54558						*	*
TAG4568Z	124,4	5639	15730	22894	63864						*	*
TAG4573Z	134,8	6155	16755	24989	68025						*	*
TAGD4590Z	180,4	6739	21718	27360	88175						*	*
TAGD4610Z	201,4	7735	24302	31404	98666						*	*
TAGD4612Z	225	9120	26876	37027	109117						*	*
TAGD4614Z	248,8	11278	31460	45789	127728						*	*
TAGD4615Z	269,6	12311	33510	49983	136051						*	*

* R-507, R-407B



R-404A*

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

Modèles Models Modelle Modelos Modelli Модель	Cylindree (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение							
		W		Btu/h		A 100 V - 50 Hz / 115 V - 60 Hz - 1~	C 208 V - 50 Hz / 230 V - 60 Hz - 1~	F 220 V / 240 V - 50 Hz - 1~	G 208 V / 220 V - 50 Hz - 1~	H 208 V / 220 V - 60 Hz - 1~	K 220 V - 50 Hz / 220 V - 60 Hz - 3~	T 400 V - 50 Hz / 440 V - 60 Hz - 3~	
		-15°C - 50 Hz	+7,2°C - 50 Hz	-15°C - 60 Hz	+7,2°C - 60 Hz								
AEZ4425ZHR		226	541	904	2155	*		*	*	*			
AEZ4430ZHR		329	742	1316	2953	*		*	*	*			
AEZ3440ZH		448	970	1790	3860			*	*	*			
AEZ4440ZHR		448	970	1790	3860	*		*	*	*			
AEZ9440ZMHR		448	970	1790	3860	*		*		*			
AE3450ZH		552	1222	2401	5095	*		*	*	*			
CAE4450ZHR		552	1222	2206	4859	*		*	*	*			
CAE9450ZMHR		552	1222	2206	4859	*		*	*	*			
CAE9460ZMHR		659	1368	2641	5456	*		*	*	*			
CAE9470ZMHR		847	1775	3390	7062	*		*	*	*			
CAJ/TAJ9480ZMHR		975	1992	3904	7932	*		*	*	*		*	
CAJ/TAJ9510ZMHR		1183	2398	4740	9589	*		*	*	*		*	
CAJ/TAJ9513ZMHR		1417	2869	5684	11451	*		*	*	*		*	
CAJ/TAJ4517ZHR		1757	3677	7038	14769			*	*	*		*	
CAJ/TAJ4519ZHR		2282	4643	9151	18581			*	*	*		*	
FH/TFH4522ZHR		2142	4676	8597	18602			*			*	*	
FH/TFH4524ZHR		2397	5127	9623	20426			*	*	*	*	*	
FH/TFH4531ZHR		3416	7372	13729	29377			*	*	*	*	*	
FHS/TFHS4531ZHR		3243	6770	12975	26942			*			*	*	
FH/TFH4540ZHR		4108	8609	16433	34281			*			*	*	
TFHS4540ZHR		3842	8033	15335	31955							*	
FHD/TFHD4548ZHR		4756	11059	18963	43965			*				*	
FHD/TFHD4562ZHR		6673	13947	26601	55423			*				*	
TAG4546ZHR		4757	11256	18983	44688						*	*	
TAGS4546ZHR		4376	10826	17517	43065							*	
TAG4553ZHR		5085	11769	20276	46884						*	*	
TAGS4553ZHR		5157	11918	20624	47448							*	
TAG4561ZHR		5818	13766	23265	54870						*	*	
TAGS4561ZHR		5949	13223	23761	52575							*	
TAG4568ZHR		6631	15550	26496	62045						*	*	
TAGS4568ZHR		6570	15109	26257	60156							*	
TAG4573ZHR		7182	15853	28654	63065						*	*	
TAGS4573ZHR		7297	15463	29169	61598							*	
TAGD4590ZHR		8968	20237	35904	80561							*	
TAGD4610ZHR		9796	22924	39266	91477							*	
TAGD4612ZHR		12015	25768	47965	102513							*	
TAGD4614ZHR		14074	29417	56294	117256							*	
TAGD4615ZHR		15924	32206	63672	128110							*	

* R-507, R-407B

R-22

Compresseurs | Compressors | Kompressoren
Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-15°C - 50 Hz	+7,2°C - 50 Hz	-15°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AEZ4425E	4,5	192	553	781	2217	*		*	*	*		
AEZ3430E	5,7	255	718					*				
AEZ4430E	5,7	255	718	1037	2878	*		*	*	*		
AEZ3440E	7,5	362	980	1470	3928			*	*	*		
AEZ4440E	7,5	362	980	1470	3928	*		*	*	*		
AEZ9440T	7,5	362	980	1470	3928	*		*	*	*		
AE3450E	9,4	426	1212					*				
CAE4450E	9,4	426	1212	1732	4859	*		*	*	*		
CAE9450T	9,5	426	1212	1732	4859	*		*	*	*		
CAE9460T	11,3	553	1514	2254	6066	*		*	*	*		
CAJ/TAJ9480T	15,2	786	2103	3188	8433	*		*	*	*		*
CAJ/TAJ9510T	18,3	956	2510	3894	10060	*		*	*	*	*	*
CAJ/TAJ9513T	24,2	1074	3272	4372	13111	*		*	*	*		*
CAJ4517E	25,9	1233	3629	5043	14537			*	*	*		
TAJ4517T	25,9	1233	3629	5043	14537						*	*
CAJ/TAJ4519T	34,4	1780	4738	7458	19106				*		*	*
FH/TFH4522F	39,9	1598	5206	6493	20866			*	*	*		*
FH/TFH4524F	43,5	1841	5706	7540	22874			*	*	*	*	*
FH/TFH4531F	56,6	2620	7528	10726	30146			*	*	*	*	*
TFH4540F	74,2	3000	9863	12283	39495						*	*
TAG4546T	90,2	3103	11253	12617	45104						*	*
TAG4553T	100,7	3875	12927	15751	51818						*	*
TAG4561T	112,5	4465	14870	18131	59682						*	*
TAG4568T	124,4	5157	16676	20965	66865						*	*
TAG4573T	134,8	5629	17816	22881	71438						*	*
TAGD4590T	181,4	6206	22506	25234	90191						*	*
TAGD4610T	201,4	7750	25844	31505	103599						*	*
TAGD4612T	225	8929	29739	36262	119350						*	*
TAGD4614T	248,8	10314	33352	41933	133703						*	*
TAGD4615T	269,6	11258	35631	45766	142838							*



R-22

Groupes | Units | Verflüssigungssätze Unidades | Unità | Агрегаты

Modèles Models Modelle Modelos Modelli Модель	Cylindree (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-15°C - 50 Hz	+7,2°C - 50 Hz	-15°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AEZ4425EHR		243	558	974	2235	*		*	*	*		
AEZ3430EH		327	722					*				
AEZ4430EHR		327	722	1313	2881	*		*	*	*		
AEZ3440EH		444	988	1777	3945			*	*	*		
AEZ4440EHR		444	988	1777	3945	*		*	*	*		
AEZ9440TMHR		444	988	1777	3945	*		*	*	*		
AE3450EH		547	1235					*				
CAE4450EHR		547	1235	2189	4934	*		*	*	*		
CAE9450TMHR		547	1235	2189	4934	*		*	*	*		
CAE9460TMHR		653	1426	2622	5746			*	*	*		
CAJ/TAJ9480TMHR		946	2036	3789	8124	*		*	*	*		*
CA/TAJ9510TMHR		1126	2411	4515	9599			*	*	*	*	*
CAJ/TAJ9513TMHR		1348	2899	5401	11584	*		*	*	*		*
CAJ4517EHR		1692	3741	6782	14898			*	*	*		
TAJ4517THR		1692	3741									*
TAJ4519THR		2144	4669	8595	18608							*
FH/TFH4522FHR		2257	5053	9050	20139			*				*
FH/TFH4524FHR		2314	5322	9275	21297			*	*	*	*	*
FH/TFH4531FHR		3611	7597	14462	30373			*	*	*	*	*
FHS/TFHS4531FHR		3051	6988	12221	27863			*		*	*	*
TFH4540FHR		4157	9194	16644	36642						*	*
TFHS4540FHR		3922	8842	15708	35239						*	*
FHD/TFHD4548FHR		4782	11612	19161	46298			*				*
FHD/TFHD4562FHR		6643	14626	26598	58570			*				*
TAG4546THR		4486	11244	17964	44787						*	*
TAGS4546THR		4474	11402	17940	45445							*
TAG4553THR		5360	12467	21476	49701						*	*
TAG4561THR		5954	14317	23836	57128						*	*
TAGS4561THR		5913	13754	23698	54785							*
TAG4568THR		6579	16221	26344	65076						*	*
TAG4573THR		7033	15589	28158	62108							*
TAGS4573THR		7479	16511	30013	65823							*
TAGD4590THR		8309	19486	33278	78781							*
TAGD4610THR		9354	22340	37491	89778							*
TAGD4612THR		11749	27561	47133	110128							*
TAGD4614THR		12055	29775	48320	119657							*
TAGD4615THR		14588	32763	58464	130610							*



R-407C

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-407C

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A 100 V - 50 Hz / 115 V - 60 Hz - 1~	C 208 V - 50 Hz / 230 V - 60 Hz - 1~	F 220 V / 240 V - 50 Hz - 1~	G 208 V / 220 V - 50 Hz - 1~	H 208 V / 220 V - 60 Hz - 1~	K 220 V - 50 Hz / 220 V - 60 Hz - 3~	T 400 V - 50 Hz / 440 V - 60 Hz - 3~
		-10°C - 50 Hz	+7,2°C - 50 Hz	-10°C - 60 Hz	+7,2°C - 60 Hz							
AE5465C	12	506	1353					*				
AE5470C	13,2	517	1429					*				
AJ5510C	18,6	611	1897					*				
AJ5512C	21,7	812	2429					*				
AJ5513C	24,2	938	2788					*				
AJ/TAJ5515C	25,9	1163	3170	4760	12692			*				*
AJ5518C	32,7	1571	4038					*				
AJ/TAJ5519C	34,4	1649	4247	6748	17005			*			*	*
FH/TFH5522C	40,8	1520	4543	6220	18119			*				*
FH/TFH5524C	43,9	1682	5053	6881	20231			*			*	*
FH/TFH5528C	49	2014	5869	8221	23986			*				*
FH/TFH5532C	53	2514	6856	10288	27450			*				*
FH/TFH5538C	67,5	3088	8185	12637	32773			*			*	*
FH/TFH5542C	74,1	3578	9151	14642	36643			*				*
TAG5546C	90,2	2627	8702	10748	34843							*
TAG5553C	100,7	3317	10622	13572	42530							*
TAG5561C	112,5	4283	12114	17691	48517							*
TAG5568C	124,4	4996	13517	20443	54120							*
TAG5573C	134,8	5635	14868	23058	59535							*
TAGD5590C	180,4	5254	17405	21497	69694							*
TAGD5610C	201,4	6634	21244	27144	85062							*
TAGD5612C	225	8566	24227	35382	97028							*
TAGD5614C	248,8	9922	27034	40886	108240							*
TAGD5615C	269,6	11270	29736	46117	119067							*



R-22

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm ³) Displacement Hubräume Cilindradas Cilindrata Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-10°C - 50 Hz	+7,2°C - 50 Hz	-10°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
AE5465E	12	718	1572	2946	6288	*	*	*		*		
AE5470E	13,2	769	1716	3147	6873	*	*	*		*		
AJ5510F	18,6	922	2447	3775	9794	*	*	*	*	*		
AJ5512E	21,7	1254	2909	5129	11642	*	*	*	*	*		
AJ5513E	24,2	1468	3213	6002	12866		*	*	*	*		
AJ/TAJ5515E	25,9	1680	3631	6873	14544		*	*	*	*		*
AJ5518E	32,7	2204	4563	9013	18269		*	*	*	*		
AJ/TAJ5519E	34,4	2313	4779	9470	19130		*	*	*	*		*
FH/TFH5522F	40,8	2298	5483	9204	21940		*	*	*	*		*
FH/TFH5524F	43,9	2484	5929	10165	23737		*	*	*	*	*	*
FH/TFH5528F	49	2914	6811	11923	27270		*	*	*	*		*
FH/TFH5532F	53	3303	7619	13510	30502		*	*	*	*		*
FH/TFH5538F	67,5	4146	9353	16961	37445			*	*	*	*	*
FH/TFH5542F	74,1	4343	9951	17768	39837			*		*		*
TAG5546E	90,2	4368	11253	17701	45105						*	*
AG/TAG5553E	100,7	5306	12922	21510	51817		*				*	*
AG/TAG5561E	112,5	6133	14870	24849	59683		*				*	*
TAG5568E	124,4	6967	16676	28238	66864						*	*
TAG5573E	134,8	7501	17816	30404	71438						*	*
TAGD5590E	180,4	8735	22506	35403	90191						*	*
TAGD5610E	201,4	10613	25844	43017	103599						*	*
TAGD5612E	225	12267	29739	49697	119350						*	*
TAGD5614E	248,8	13933	33352	56476	133703						*	*
TAGD5615E	269,6	15002	35631	60804	142838						*	*



R-134a

R-407C

Résumé de la gamme | Resume of the range | Zusammenfassung der Produktreihen
Resumen de la gama | Riassunto della gamma | Таблица быстрого выбора

R-134a

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm ³) Displacement Hubräume Cilindradas Cilindrate Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A 100 V - 50 Hz / 115 V - 60 Hz - 1~	C 208 V - 50 Hz / 230 V - 60 Hz - 1~	F 220 V / 240 V - 50 Hz - 1~	G 208 V / 220 V - 50 Hz - 1~	H 208 V / 220 V - 60 Hz - 1~	K 220 V - 50 Hz / 220 V - 60 Hz - 3~	T 400 V - 50 Hz / 440 V - 60 Hz - 3~
		-10°C - 50 Hz	+7,2°C - 50 Hz	-10°C - 60 Hz	+7,2°C - 60 Hz							
RK5450Y	11,4	609	1260					*				
TRK5450Y	11,4	609	1260	2484	5045							*
RK5480Y	18,1	990	2056	4048	8232	*		*		*		
TRK5480Y	18,1	990	2056	4048	8232							*
RK5512Y	24,4	1287	2641	5129	10588	*		*		*		
TRK5512Y	24,4	1287	2641	5129	10588							*

R-407C

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

HGA/RGA5480C	11,52	781	1688			*		*				
HGA/RGA5492C	12,75	871	1896			*		*				
HGA/RGA5510C	14,25	968	2145			*		*				
HGA/RGA5512C	16,12	1074	2348			*		*				
THGA5512C	16,12	1074	2348	4382	9480							*
RK5480C	11,4	825	1696					*				
RK5490C	12,9	848	1842					*				
RK5510C	14,6	1072	2196					*				
RK5512C	16,3	1159	2422					*				
RK5513C	18,1	1304	2670					*				
RK5515C	21,4	1588	3247					*				
RK5518C	24,4	1827	3714					*				



R-22

Compresseurs | Compressors | Kompressoren Compresores | Compressori | Компрессоры

Modèles Models Modelle Modelos Modelli Модель	Cylindrée (cm ³) Displacement Hubräume Cilindradas Cilindrata Объем цилиндра	Production frigorifique (Watts) Refrigerating capacity Kälteleistung Producción frigo. Resa frigorifera Холодопроизводительность				Tensions Voltages Spannungen Voltajes Tensione Напряжение						
		W		Btu/h		A	C	F	G	H	K	T
		-10°C - 50 Hz	+7,2°C - 50 Hz	-10°C - 60 Hz	+7,2°C - 60 Hz	100 V - 50 Hz / 115 V - 60 Hz - 1~	208 V - 50 Hz / 230 V - 60 Hz - 1~	220 V / 240 V - 50 Hz - 1~	208 V / 220 V - 50 Hz - 1~	208 V / 220 V - 60 Hz - 1~	220 V - 50 Hz / 220 V - 60 Hz - 3~	400 V - 50 Hz / 440 V - 60 Hz - 3~
HGA/RGA5480E	11,52	1040	1967			*		*				
HGA/RGA5492E	12,75	1158	2196			*		*				
HGA/RGA5510E	14,25	1309	2456			*		*				
HGA/RGA5512E	16,12	1422	2752			*		*				
RK5480E	11,4	1008	1926					*	*			
RK5490E	12,9	1175	2208					*	*			
RK5510E	14,6	1280	2508					*	*			
RK5512E	16,3	1481	2771					*	*			
RK/TRK5513E	18,1	1622	3090	6636	12371			*	*	*	*	
RK/TRK5515E	21,4	1860	3601	7611	14417			*	*	*	*	
RK/TRK5518E	24,4	2166	4196	8859	16798			*	*	*	*	



Basse pression d'évaporation | Low back pressure
 Niederdruck Verdampfung | Baja presión de evaporación
 Bassa pressione di evaporazione | Низкотемпературные компрессоры

Modèles Models Modelle Modelos Modelli Модель	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-
P1218	12	AE14Z6	12	AZ1320/AD	12	AZ1320Y	134a	THB1324Y	134a		
P/SP1219	12	AM12Z7	12	AE12W	12	AE12Z7	12	AEZ1332A	12	AZ1328 A/D	12
AZ1335Y	134a	THB1335Y	134a								
AZ1339Y	134a	THB1340Y	134a								
P/SP91	12	AE8ZA7	12	AEZ1336A	12	AZ1335A/D	12	AZ1355Y	134a	THB1360Y	134a
AE65ZD7	12	XXXXXX				AZ1348Y	134a	THB1350Y	134a		
P/SP6112	12	AE6ZD7	12	AZ1345A/D	12	AZ1355D	12	AZ1355Y	134a	THB1360Y	134a
AE66ZD7	12	AZ1345A/D	12	AZ1355D	12	AZ1355Y	134a	THB1360Y	134a		
AEZ1343A	12	AZ1345A/D	12	AZ1355D	12	AZ1355Y	134a	THB1360Y	134a		
AE55ZF9	12	AEZ1360A/B	12	AEZ1360A	12	THB1360Y	134a				
P5312	12	AE5ZF9	12	AEZ1360A/B	12	AEZ1360A	12	THB1360Y	134a		
C5414	12	AT/CAT5C	12	AE4ZF11	12	AEZ1380A	12	AEZ1380Y	134a		
				CAE4ZF11	12	AEZ2380C	12	AEZ2380Y	134a		
AEZ1380B	12	AEZ1380A	12	AEZ1380Y	134a						
C4416	12	AT/CAT43	12	AE1410A/B	12	AE1410Y	134a				
				CAE2410A	12	CAE2410Y	134a				
C4614	12	AT/CAT35	12	AE1412A	12	AE1412Y	134a				
				CAE2412A	12	CAE2412Y	134a				
C3N16	12	CAT3512	12	AE1417L	502	AE1417Z	404A				
				CAE2417L	502	CAE2417Z	404A				
C2N16	22	CAJ26	22	CAJ2428L	502	CAJ2428Z	404A				
				TAJ2428L	502	TAJ2428Z	404A				
B2616	12	C2L16	12	CAJ2T12	12	XXXXXX					
				TAJ2T12	12	XXXXXX					
C7S16	22	CAJ2436E	22	CAJ2446L	502	CAJ2446Z	404A				
B7616	22	C7T16	12	XXXXXX							
B1U18	12	CAH2445A	12	XXXXXX							
		TAH2445A	12	XXXXXX							
JE150	12	CAH2466A	12	XXXXXX							
		TAH2466A	12	XXXXXX							
XB32U18	22	TAH2480J	502	TFH2480Z	404						
FD200	12	TAH2480J	502	TFH2480Z	404						
FD300	12	TAH2511K	502	TFH2511Z	404						

XXXXXX Modèle supprimé

XXXXXX Modello suprimido

XXXXXX Suppressed model

XXXXXX Modelo sopresso

XXXXXX Nicht mehr lieferbar

XXXXXX Модель снята с производства



Moyenne et haute pression d'évaporation | Medium and high back pressure
 Mittleren/Hohen Verdampfungsdruck | Media/alta presión de evaporación
 Media/alta pressione di evaporazione | Средне- и высокотемпературные компрессоры

Modèles Models Modelle Modelos Modelli Modelь	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-
				AZ0360A	12	AZ3410Y	134a	THB3410Y	134a
				AZ0374A	12	AZ3412Y	134a	THB3413Y	134a
				AZ9374A	12	AZ4412Y	134a	THB4413Y	134a
P/SP61	12	AE6ZA7	12	AZ0387A	12	AZ3414Y	134a	THB3415Y	134a
				AZ9387A	12	AZ4414Y	134a	THB4415Y	134a
P5112	12	AE5ZA9	12	AZ0411A	12	AZ3419Y	134a	THB3419Y	134a
				AZ9411A	12	AZ4419Y	134a	THB4419Y	134a
C5814	12	T/CT53	12	AE59ZF9	12	AEZ3425Y	134a		
				CAE59ZF9	12	AEZ4425Y	134a		
C4414	12	AT/CAT4C	12	AE41ZF11	12	AEZ3430Y	134a		
				CAE41ZF11	12	AEZ4430Y	134a		
C3N14	12	CAT34	12	CAJ34	12	AE3440A	12	AE3440Y	134a
						CAE4440A	12	CAE4440Y	134a
CAE4460T	22/502	CAE9460T	22/502						
CAJ4458A	12	CAJ4452A	12	CAE4456Y	134a				
C/CC2S16	12	CAJ2P	12	CAJ2612	12	CAJ4461A	12	CAJ4461Y	134a
				TAJ2612	12	TAJ4461A	12	TAJ4461Y	134a
C/CC7R16	22	CAJ4480E	22	CAJ9480T	22/502				
		TAJ4480E	22	TAJ9480T	22/502				
B7616	12	C7616	12	CAJ7R13	12	CAJ4492A	12	CAJ4492Y	134a
				TAJ7R13	12	TAJ4492A	12	TAJ4492Y	134a
B1T16	22	CAJ4515A	12	CAJ4511A	12	CAJ4511Y	134a		
		TAJ4515A	12	TAJ4511A	12	TAJ4511Y	134a		
TAJ4517E	22	TAJ4517 T	22/502						
B32U18	22	CAH4518A	12	FH4518Y	134a				
		TAH4518A	12	TFH4518Y	134a				
B21U18	22	TAH5524E	22	TAH4524E	22	TAH4524T	22/502	TFH4524F	22
CL26X12	22	CAH4531E	22	FH4531F	22				
		TAH4531E	22	TAH4531T	22/502	TFH4531F	22		
[J]CL31Y14	22	CL5538E	22	AH/TAH4540T	22/502	FH/TFH4540F	22		
[J]CL41ZA17	22	CL5550E	22	TAG4553T	22/502				
[J]CL51ZH17	22	CL5562E	22	TAG4561T	22/502				



Conditionnement d'air | Air conditioning Klimabereich | Acondicionamiento de aire Condizionamento dell'aria | Кондиционирование воздуха

Modèles Models Modelle Modelos Modelli Модель	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-	Remplacé par Superseded by Ersetzt durch Substituido por Sostituito da Заменен на	R-
AE8475E	22	XXXXXX							
AJ8494E	22	XXXXXX							
AU1612	22	AJ1Q	22	AJ5510F	22				
AU1P12	22	AJ1P12	22	AJ5512F	22				
AJ8514E	22	XXXXXX							
B1516	22	AJ1P13	22	AJ5513E	22				
B1616	22	AJR13	22	AJ5515E	22				
		TAJR13	22	TAJ5515E	22				
AJ8516E	22	XXXXXX							
AJ8520E	22	XXXXXX							
AH5522E	22	FH5522F	22						
AH5524E	22	FH5524F	22						
TAH5524E	22	TFH5524F	22						
AH5527E	22	FH5528F	22						
CL26X12	22	AH5531E	22	FH5532F	22				
		TAH5531E	22	TFH5532F	22				
AH5540E	22	FH5542F	22						
TAH5540E	22	TFH5542F	22						
(J)CL31Y14	22	CL5538E	22	FH5542E	22				
(J)CL41ZA17	22	CL5550E	22	TAG5553E	22				
(J)CL51ZH17	22	CL5562E	22	TAG5561E	22				

- XXXXXX Modèle supprimé
- XXXXXX Suppressed model
- XXXXXX Nicht mehr lieferbar
- XXXXXX Modello suprimido
- XXXXXX Modelo soproso
- XXXXXX Модель снята с производства